

## Which Powerbit replaces my standard bit?

The tables below indicate the replacement Powerbit for your standard bit. For some standard bits you have two replacement options. Be aware that the tables only indicate a recommendation. Other replacements may work just as well depending on rock conditions. A complete list of Powerbits can be found in the sales brochure.

STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>66 mm bits</b>					
90515837	136-6066-45-67,49-20	90029614	136-6066-21-44-70,57-20		
<b>70 mm bits</b>					
90510478	136-6070,49-20	90029382	136-6070-21,57-20		
90029120	136-6070-44-67,49-20	90029394	136-6070-21-44-70,57-20		
90510479	136-6070-45,49-20	90029395	136-6070-21-44,57-20		
90510385	136-6070-45-67,49-20	90029394	136-6070-21-44-70,57-20		
<b>76 mm bits</b>					
90510320	136-5076,49-20	90029371	136-5076,57-20		
90510322	136-5076-20,49-20	90029371	136-5076,57-20	90029377	136-6076-21,57-20
90514051	136-5076-21,49-20	90029377	136-6076-21,57-20		
90513761	136-5076-21-45,49-20	90029357	136-6076-21-44,57-20		
90514027	136-5076-21-67,49-20	90029351	136-6076-21-70,57-20	90029352	136-6076-70,57-20
90510371	136-5076-45,49-20	90029370	136-5076-44,57-20		
90510386	136-5076-45-67,49-20	90029376	136-6076-44-70,57-20		
90516453	136-5076-46-66,49-20	90029265	136-5076-46-66,57-20		
90510333	136-6076,49-20	90029377	136-6076-21,57-20	90029371	136-5076,57-20
90513750	136-6076-21,49-20	90029377	136-6076-21,57-20		
90510808	136-6076-21-45,49-20	90029357	136-6076-21-44,57-20		
90510809	136-6076-21-45-67,49-20	90029354	136-6076-21-44-70,57-20		
90514053	136-6076-21-67,49-20	90029351	136-6076-21-70,57-20		
90510313	136-6076-45,49-20	90029357	136-6076-21-44,57-20	90029370	136-5076-44,57-20
90510314	136-6076-45-67,49-20	90029376	136-6076-44-70,57-20		
90510334	136-6076-67,49-20	90029352	136-6076-70,57-20		
<b>83 mm bits</b>					
90514707	136-6083-45-67,49-20	90029615	136-6083-44-70,57-20		



# Conversion table

# T45 (1<sup>3</sup>/<sub>4</sub>"

STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>89 mm bits</b>					
90510325	136-5089,49-20	90029367	136-5089,57-20		
90510418	136-5089-20,49-20	90029367	136-5089,57-20	90029360	136-6089-21,57-20
90513751	136-5089-21-45,49-20	90029364	136-6089-21-44,57-20		
90514073	136-5089-21-45-67,49-20	90029362	136-6089-21-44-70,57-20		
90510780	136-5089-21-67,49-20	90029363	136-6089-21-70,57-20		
90510372	136-5089-45,49-20	90029366	136-5089-44,57-20		
90510390	136-5089-45-67,49-20	90029365	136-6089-44-70,57-20		
90516455	136-5089-46-66,49-20	90029272	136-5089-46-66,57-20		
90514993	136-5089-47-45-66,49-20	90029272	136-5089-46-66,57-20	90029365	136-6089-44-70,57-20
90510335	136-6089,49-20	90029360	136-6089-21,57-20	90029363	136-6089-21-70,57-20
90513752	136-6089-21,49-20	90029360	136-6089-21,57-20		
90510692	136-6089-21-45,49-20	90029364	136-6089-21-44,57-20		
90510772	136-6089-21-45-67,49-20	90029362	136-6089-21-44-70,57-20		
90510374	136-6089-45,49-20	90029364	136-6089-21-44,57-20	90029362	136-6089-21-44-70,57-20
90510375	136-6089-45-67,49-20	90029365	136-6089-44-70,57-20		
90510336	136-6089-67,49-20	90029361	136-6089-70,57-20		
<b>102 mm bits</b>					
90510326	136-5102,49-20	90029404	136-5102,57-20		
90510889	136-5102-21-67,49-20	90029405	136-6102-21-70,57-20		
90510373	136-5102-45,49-20	90029403	136-5102-44,57-20		
90516456	136-5102-46-66,49-20	90029283	136-5102-46-66,57-20		
90510337	136-6102,49-20	90029408	136-6102-21,57-20		
90513811	136-6102-21,49-20	90029408	136-6102-21,57-20		
90515366	136-6102-21-45,49-20	90029413	136-6102-21-44,57-20		
90510392	136-6102-45,49-20	90029413	136-6102-21-44,57-20		
90510376	136-6102-45-67,49-20	90029411	136-6102-44-70,57-20		
<b>115 mm bits</b>					
90510399	136-6115,49-20	90029601	136-6115,57-20		
90514660	136-6115-45,49-20	90029602	136-6115-44,57-20		
90515263	136-6115-67,49-20	90029603	136-6115-70,57-20		
<b>127 mm bits</b>					
90513836	136-6127-21,49-20	90029604	136-6127-21,57-20		
90513778	136-5127-42-24,49-20	90029607	136-5127-42-24,57-20		
<b>152 mm bits</b>					
90513818	136-5152-42-24,49-20	90029606	136-5152-42-24,57-20		
90510782	136-5152-42-67,49-20	90029605	136-5152-42-70,57-20		

# Conversion table

T51 (2")

STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>76 mm bits</b>					
90515549	137-5076-22,49-20	90029733	137-6076-21,57-20		
<b>83 mm bits</b>					
90516535	137-6083-44,49-20	90029731	137-6083-44,57-20		
<b>89 mm bits</b>					
90510338	137-5089,49-20	90029417	137-5089,57-20	90029419	137-6089-21,57-20
90510357	137-5089-20,49-20	90029417	137-5089,57-20	90029419	137-6089-21,57-20
90510527	137-5089-21,49-20	90029419	137-6089-21,57-20	90029417	137-5089,57-20
90513764	137-5089-21-45,49-20	90029415	137-6089-21-44,57-20	90029402	137-5089-44,57-20
90514002	137-5089-21-45-67,49-20	90029414	137-6089-21-44-70,57-20		
90514003	137-5089-21-67,49-20	90029418	137-6089-21-70,57-20		
90516335	137-5089-22-45-67,49-20	90029414	137-6089-21-44-70,57-20		
90510377	137-5089-45,49-20	90029402	137-5089-44,57-20		
90514329	137-5089-45-67,49-20	90029416	137-6089-44-70,57-20		
90510341	137-6089,49-20	90029419	137-6089-21,57-20		
90513813	137-6089-21,49-20	90029419	137-6089-21,57-20		
90510773	137-6089-21-45,49-20	90029415	137-6089-21-44,57-20		
90510696	137-6089-21-45-67,49-20	90029414	137-6089-21-44-70,57-20		
90513814	137-6089-21-67,49-20	90029418	137-6089-21-70,57-20		
90029052	137-6089-44-66,49-20	90029416	137-6089-44-70,57-20		
90510391	137-6089-45,49-20	90029415	137-6089-21-44,57-20		
90510380	137-6089-45-67,49-20	90029416	137-6089-44-70,57-20		
<b>92 mm bits</b>					
90003673	137-6092-44-67,49-20	90029734	137-6092-44-70,57-20		
<b>102 mm bits</b>					
90510339	137-5102,49-20	90029425	137-5102,57-20		
90510807	137-5102-21,49-20	90029400	137-6102-21,57-20	90029425	137-5102,57-20
90510855	137-5102-21-45,49-20	90029423	137-6102-21-44,57-20	90029424	137-5102-44,57-20
90510841	137-5102-21-45-67,49-20	90029422	137-6102-21-44-70,57-20		
93501331	137-5102-22,90-20	90029400	137-6102-21,57-20	90029425	137-5102,57-20
90510378	137-5102-45,49-20	90029424	137-5102-44,57-20		
90514476	137-5102-45-67,49-20	90029421	137-6102-44-70,57-20		
90514538	137-5102-47-66,49-20	90029285	137-5102-46-66,57-20		
90510343	137-6102,49-20	90029400	137-6102-21,57-20		
90510824	137-6102-21,49-20	90029400	137-6102-21,57-20		
90510825	137-6102-21-45,49-20	90029423	137-6102-21-44,57-20		
90515368	137-6102-21-45-67,49-20	90029422	137-6102-21-44-70,57-20		
90513756	137-6102-21-67,49-20	90029399	137-6102-21-70,57-20		
90510415	137-6102-45,49-20	90029423	137-6102-21-44,57-20		
90510379	137-6102-45-67,49-20	90029421	137-6102-44-70,57-20		
90510346	137-6102-67,49-20	90029398	137-6102-70,57-20		



STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>115 mm bits</b>					
90510340	137-5115-20,49-20	90029432	137-5115,57-20	90029438	137-6115-21,57-20
90510791	137-5115-20-45,49-20	90029428	137-6115-21-44,57-20	90029429	137-5115-44,57-20
90510818	137-5115-21,49-20	90029438	137-6115-21,57-20		
90510819	137-5115-21-67,49-20	90029434	137-6115-21-70,57-20		
90510344	137-6115,49-20	90029438	137-6115-21,57-20		
90510874	137-6115-21,49-20	90029438	137-6115-21,57-20		
90510826	137-6115-21-45,49-20	90029428	137-6115-21-44,57-20		
90510655	137-6115-45,49-20	90029428	137-6115-21-44,57-20		
<b>127 mm bits</b>					
90510360	137-5127,49-20	90029444	137-5127,57-20		
90510361	137-5127-20,49-20	90029444	137-5127,57-20	90029427	137-6127-21,57-20
90513747	137-5127-21,49-20	90029427	137-6127-21,57-20		
90515249	137-5127-47,49-20	90029431	137-6127-21-70,57-20	90029427	137-6127-21,57-20
90510406	137-6127,49-20	90029427	137-6127-21,57-20		
90510656	137-6127-45,49-20	90029437	137-6127-21-44,57-20		
90515265	137-6127-45-67,49-20	90029435	137-6127-44-70,57-20		
<b>140 mm bits</b>					
90515254	137-5140-47,49-20	90029735	137-6140-21,57-20		
<b>152 mm bits</b>					
90510362	137-5152-21,49-20	90029736	137-6152-21,57-20		
90514185	137-5152-42-24,49-20	90029766	137-5152-42-24,57-20		

# Conversion table

# T-WIZ60 (2<sup>3</sup>/<sub>8</sub>" )

STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>92 mm bits</b>					
90029111	158-6092-21-44-67,49-20	90029706	158-6092-21-44-70,57-20		
90029142	158-6092-21-67,49-20	90029711	158-6092-21-70,57-20		
<b>95 mm bits</b>					
90029477	158-5095-21-44-99,49-20	90029702	158-5095-44,57-20		
90029119	158-6095-21-44,49-20	90029705	158-6095-21-44,57-20		
90029066	158-6095-21-44-67,49-20	90029701	158-6095-21-44-70,57-20		
<b>102 mm bits</b>					
90029143	158-6102-21,49-20	90029447	158-6102-21,57-20		
90029110	158-6102-21-44,49-20	90029450	158-6102-21-44,57-20		
90029067	158-6102-44-67,49-20	90029449	158-6102-44-70,57-20		
<b>115 mm bits</b>					
90029286	158-5115-21-44,49-20	90029700	158-5115-21-44,57-20		
90029121	158-6115-21,49-20	90029695	158-6115-21,57-20		
90029070	158-6115-21-44,49-20	90029698	158-6115-21-44,57-20		
90029109	158-6115-21-44-67,49-20	90029696	158-6115-21-44-70,57-20		
<b>121 mm bits</b>					
90029630	158-6121-44,49-20	WILL BE AVAILABLE LATER			
<b>127 mm bits</b>					
90029146	158-6127-21,49-20	90029707	158-6127-21,57-20		
90029069	158-6127-44,49-20	90029670	158-6127-21-44,57-20		
90029068	158-6127-44-67,49-20	90029672	158-6127-21-44-70,57-20		
<b>140 mm bits</b>					
90029154	158-6140-21-44,49-12	WILL BE AVAILABLE LATER			
90029081	158-6140-21-44,49-20	90029668	158-6140-21-44,57-20		
90029148	158-6140-21-44-67,49-20	90029751	158-6140-21-44-70,57-20		
<b>152 mm bits</b>					
90029147	158-6152-21,49-20	90029662	158-6152-21,57-20		
90029073	158-6152-21-44,49-20	90029664	158-6152-21-44,57-20		

# Conversion table

# ST58 (2<sup>9</sup>/<sub>32</sub>" )

STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>89 mm bits</b>					
90510522	151-5089-21,49-20	90029709	151-6089-21,57-20		
90513887	151-6089-35-67,49-20	90029656	151-6089-21-35-70,57-20		
<b>102 mm bits</b>					
90510789	151-5102-21,49-20	90029710	151-6102-21,57-20		
<b>115 mm bits</b>					
90514444	151-6115-99-67,60-20	90029658	151-6115-21-35-70,57-20		

# Conversion table

# ST68 (2<sup>11</sup>/<sub>16</sub>" )

STANDARD BIT		POWERBIT – FIRST OPTION		POWERBIT – SECOND OPTION	
Product No.	Product code	Product No.	Product code	Product No.	Product code
<b>102 mm bits</b>					
90510494	152-5102-21,49-20	90029732	152-6102-21,57-20		
90510777	152-5102-21-67,49-20	90029725	152-6102-21-70,57-20		
90514048	152-6102-43-67,49-20	90029678	152-6102-35-70,57-20		
90029262	152-6102-44-67,49-20	90029678	152-6102-35-70,57-20		
<b>115 mm bits</b>					
90510507	152-5115-21,49-20	90029673	152-6115-21-35,57-20		
90510701	152-5115-21-67,49-20	90029675	152-6115-21-35-70,57-20		
90514389	152-6115-21-35-67,49-20	90029675	152-6115-21-35-70,57-20		
90029261	152-6115-21-44-67,49-20	90029675	152-6115-21-35-70,57-20		
90516642	152-6115-43-67,49-20	90029674	152-6115-35-70,57-20		
<b>127 mm bits</b>					
90514264	152-5127-21,49-20	90029728	152-6127-21,57-20		
<b>152 mm bits</b>					
90510528	152-5152-21,49-20	90029750	152-6152-21,57-20		
90509556	152-9152-102,31-20	WILL BE AVAILABLE LATER			